


Cat6 - UTP - STARR - LSZH

Kategorie	U/UTP CAT6-4P-LSZH																																																																																																																						
Referenz	ISO/IEC 11801 TIA-568-C.2																																																																																																																						
CPR Klasse	Eca																																																																																																																						
Material	Starr - 100% Kupfer	Technische Leistung (100m): <table><tr><th>Frequenz (Mhz)</th><th>RL ≥dB</th><th>ATT ≤dB</th><th>NEXT ≥dB</th><th>Phase DELAY ≤ns</th></tr><tr><td>1</td><td>20.0</td><td>2.03</td><td>74.3</td><td>570.00</td></tr><tr><td>4.0</td><td>23.0</td><td>3.78</td><td>65.3</td><td>552.00</td></tr><tr><td>8.0</td><td>24.5</td><td>5.32</td><td>60.8</td><td>546.73</td></tr><tr><td>10.0</td><td>25.0</td><td>5.95</td><td>59.3</td><td>545.38</td></tr><tr><td>16.0</td><td>25.0</td><td>7.55</td><td>56.2</td><td>543.00</td></tr><tr><td>20.0</td><td>25.0</td><td>8.47</td><td>54.8</td><td>542.05</td></tr><tr><td>25.0</td><td>24.3</td><td>9.51</td><td>53.3</td><td>541.20</td></tr><tr><td>31.25</td><td>23.6</td><td>10.67</td><td>51.9</td><td>540.44</td></tr><tr><td>62.5</td><td>21.5</td><td>15.38</td><td>47.7</td><td>538.55</td></tr><tr><td>100</td><td>20.1</td><td>19.80</td><td>44.3</td><td>537.60</td></tr><tr><td>200</td><td>18.0</td><td>28.98</td><td>39.8</td><td>536.54</td></tr><tr><td>250</td><td>17.3</td><td>32.85</td><td>38.3</td><td>536.27</td></tr></table> <table><tr><th>Frequenz (Mhz)</th><th>PSNEXT ≥dB</th><th>ELFEXT ≤dB</th><th>PSELFEXT ≥dB</th></tr><tr><td>1</td><td>72.3</td><td>67.8</td><td>64.8</td></tr><tr><td>4.0</td><td>63.3</td><td>55.8</td><td>52.8</td></tr><tr><td>8.0</td><td>58.8</td><td>49.7</td><td>46.7</td></tr><tr><td>10.0</td><td>57.3</td><td>47.8</td><td>44.8</td></tr><tr><td>16.0</td><td>54.2</td><td>43.7</td><td>40.7</td></tr><tr><td>20.0</td><td>52.8</td><td>41.8</td><td>38.8</td></tr><tr><td>25.0</td><td>51.3</td><td>39.8</td><td>36.8</td></tr><tr><td>31.25</td><td>49.9</td><td>37.9</td><td>34.9</td></tr><tr><td>62.5</td><td>45.4</td><td>31.9</td><td>28.9</td></tr><tr><td>100</td><td>42.3</td><td>27.8</td><td>24.8</td></tr><tr><td>200</td><td>37.8</td><td>21.8</td><td>18.8</td></tr><tr><td>250</td><td>36.3</td><td>19.8</td><td>16.8</td></tr></table>	Frequenz (Mhz)	RL ≥dB	ATT ≤dB	NEXT ≥dB	Phase DELAY ≤ns	1	20.0	2.03	74.3	570.00	4.0	23.0	3.78	65.3	552.00	8.0	24.5	5.32	60.8	546.73	10.0	25.0	5.95	59.3	545.38	16.0	25.0	7.55	56.2	543.00	20.0	25.0	8.47	54.8	542.05	25.0	24.3	9.51	53.3	541.20	31.25	23.6	10.67	51.9	540.44	62.5	21.5	15.38	47.7	538.55	100	20.1	19.80	44.3	537.60	200	18.0	28.98	39.8	536.54	250	17.3	32.85	38.3	536.27	Frequenz (Mhz)	PSNEXT ≥dB	ELFEXT ≤dB	PSELFEXT ≥dB	1	72.3	67.8	64.8	4.0	63.3	55.8	52.8	8.0	58.8	49.7	46.7	10.0	57.3	47.8	44.8	16.0	54.2	43.7	40.7	20.0	52.8	41.8	38.8	25.0	51.3	39.8	36.8	31.25	49.9	37.9	34.9	62.5	45.4	31.9	28.9	100	42.3	27.8	24.8	200	37.8	21.8	18.8	250	36.3	19.8	16.8
Frequenz (Mhz)	RL ≥dB		ATT ≤dB	NEXT ≥dB	Phase DELAY ≤ns																																																																																																																		
1	20.0		2.03	74.3	570.00																																																																																																																		
4.0	23.0		3.78	65.3	552.00																																																																																																																		
8.0	24.5		5.32	60.8	546.73																																																																																																																		
10.0	25.0		5.95	59.3	545.38																																																																																																																		
16.0	25.0		7.55	56.2	543.00																																																																																																																		
20.0	25.0		8.47	54.8	542.05																																																																																																																		
25.0	24.3		9.51	53.3	541.20																																																																																																																		
31.25	23.6		10.67	51.9	540.44																																																																																																																		
62.5	21.5		15.38	47.7	538.55																																																																																																																		
100	20.1		19.80	44.3	537.60																																																																																																																		
200	18.0		28.98	39.8	536.54																																																																																																																		
250	17.3		32.85	38.3	536.27																																																																																																																		
Frequenz (Mhz)	PSNEXT ≥dB		ELFEXT ≤dB	PSELFEXT ≥dB																																																																																																																			
1	72.3	67.8	64.8																																																																																																																				
4.0	63.3	55.8	52.8																																																																																																																				
8.0	58.8	49.7	46.7																																																																																																																				
10.0	57.3	47.8	44.8																																																																																																																				
16.0	54.2	43.7	40.7																																																																																																																				
20.0	52.8	41.8	38.8																																																																																																																				
25.0	51.3	39.8	36.8																																																																																																																				
31.25	49.9	37.9	34.9																																																																																																																				
62.5	45.4	31.9	28.9																																																																																																																				
100	42.3	27.8	24.8																																																																																																																				
200	37.8	21.8	18.8																																																																																																																				
250	36.3	19.8	16.8																																																																																																																				
Schirmung	UTP																																																																																																																						
AWG	23																																																																																																																						
Durchmesser Kabel	6,1 mm																																																																																																																						
Länge	100m																																																																																																																						
Bandbreite	250.0 MHz																																																																																																																						
Biegeradius	8x Durchmesser Kabel																																																																																																																						
Maximale Ziehkraft (Mpa)	≥ 13.5																																																																																																																						
Material Außenmantel	LSZH																																																																																																																						
Farbe Außenmantel	Blau																																																																																																																						
Aderfarben	1 - Weiß-Blau/Blau																																																																																																																						
	2 - Weiß-Orange/Orange																																																																																																																						
	3 - Weiß-Grün/Grün																																																																																																																						
	4 - Weiß-Braun/Braun																																																																																																																						
Rip-cord	Integriert																																																																																																																						
Verpackung	Abrollkarton																																																																																																																						